

Hardware

PMT ALPHA P-->6 Axis



6 Axis 1.5m
1800-01: PMT@Alpha P, 1.5m, 6 Axis
 Alpha P, 1.5m, 6 Axis. PMT's most accurate contact measurement system. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit (3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



6 Axis 2.0m
1800-02: PMT@Alpha P, 2m, 6 Axis
 Alpha P, 2.0m, 6 Axis. PMT's most accurate contact measurement system. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit (3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



6 Axis 2.5m
1800-03: PMT@Alpha P, 2.5m, 6 Axis
 Alpha P, 2.5m, 6 Axis. PMT's most accurate contact measurement system. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit (3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



6 Axis 3.0m
1800-04: PMT@Alpha P, 3m, 6 Axis
 Alpha P, 3.0m, 6 Axis. PMT's most accurate contact measurement system. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit (3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



6 Axis 3.5m
1800-05: PMT@Alpha P, 3.5m, 6 Axis
 Alpha P, 3.5m, 6 Axis. PMT's most accurate contact measurement system. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit (3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



6 Axis 4.0m
1800-06: PMT@Alpha P, 4.0m, 6 Axis
 Alpha P, 4.0m, 6 Axis. PMT's most accurate contact measurement system. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit (3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



6 Axis 4.5m
1800-07: PMT@Alpha P, 4.5m, 6 Axis
 Alpha P, 4.5m, 6 Axis. PMT's most accurate contact measurement system. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit (3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.

PMT ALPHA M-->6 Axis

6 Axis

1.5m

1801-01: PMT@Alpha M, 1.5m, 6 Axis

Alpha M, 1.5m, 6 Axis. PMT's most favorable measurement system. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit(3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



6 Axis

2.0m

1801-02: PMT@Alpha M, 2.0m, 6 Axis

Alpha M, 2.0m, 6 Axis. PMT's most favorable measurement system. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit(3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



6 Axis

2.5m

1801-03: PMT@Alpha M, 2.5m, 6 Axis

Alpha M, 2.5m, 6 Axis. PMT's most favorable measurement system. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit(3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



6 Axis

3.0m

1801-04: PMT@Alpha M, 3.0m, 6 Axis

Alpha M, 3.0m, 6 Axis. PMT's most favorable measurement system. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit(3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



6 Axis

3.5m

1801-05: PMT@Alpha M, 3.5m, 6 Axis

Alpha M, 3.5m, 6 Axis. PMT's most favorable measurement system. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit(3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



6 Axis

4.0m

1801-06: PMT@Alpha M, 4.0m, 6 Axis

Alpha M, 4.0m, 6 Axis. PMT's most favorable measurement system. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit(3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



6 Axis

4.5m

1801-07: PMT@Alpha M, 4.5m, 6 Axis

Alpha M, 4.5m, 6 Axis. PMT's most favorable measurement system. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit(3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



PMT ALPHA E-->6 Axis

6 Axis

1.5m

1802-01: PMT@Alpha E, 1.5m, 6 Axis

Alpha E, 1.5m, 6 Axis. PMT's affordable performance measurement system. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit(3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



6 Axis

2.0m

1802-02: PMT@Alpha E, 2.0m, 6 Axis

Alpha E, 2m, 6 Axis. PMT's affordable performance measurement system. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit(3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



6 Axis

2.5m

1802-03: PMT@Alpha E, 2.5m, 6 Axis

Alpha E, 2.5m, 6 Axis. PMT's affordable performance measurement system. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit(3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



6 Axis

3.0m

1802-04: PMT@Alpha E, 3.0m, 6 Axis

Alpha E, 3m, 6 Axis. PMT's affordable performance measurement system. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit(3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



6 Axis

3.5m

1802-05: PMT@Alpha E, 3.5m, 6 Axis

Alpha E, 3.5m, 6 Axis. PMT's affordable performance measurement system. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit(3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



6 Axis

4.0m

1802-06: PMT@Alpha E, 4.0m, 6 Axis

Alpha E, 4m, 6 Axis. PMT's affordable performance measurement system. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit(3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



6 Axis

4.5m

1802-07: PMT@Alpha E, 4.5m, 6 Axis

Alpha E, 4.5m, 6 Axis. PMT's affordable performance measurement system. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit(3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



PMT ALPHA P-->7 Axis



7 Axis 2.0m
1803-01: PMT@Alpha P, 2.0m, 7 Axis
 Alpha P, 2.0m, 7 Axis. PMT's most accurate measurement system featuring 7 axis for added flexibility when using custom probes and Laser Line Scanners. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit (3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



7 Axis 2.5m
1803-02: PMT@Alpha P, 2.5m, 7 Axis
 Alpha P, 2.5m, 7 Axis. PMT's most accurate measurement system featuring 7 axis for added flexibility when using custom probes and Laser Line Scanners. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit (3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



7 Axis 3.0m
1803-03: PMT@Alpha P, 3.0m, 7 Axis
 Alpha P, 3.0m, 7 Axis. PMT's most accurate measurement system featuring 7 axis for added flexibility when using custom probes and Laser Line Scanners. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit (3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



7 Axis 3.5m
1803-04: PMT@Alpha P, 3.5m, 7 Axis
 Alpha P, 3.5m, 7 Axis. PMT's most accurate measurement system featuring 7 axis for added flexibility when using custom probes and Laser Line Scanners. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit (3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



7 Axis 4.0m
1803-05: PMT@Alpha P, 4.0m, 7 Axis
 Alpha P, 4.0m, 7 Axis. PMT's most accurate measurement system featuring 7 axis for added flexibility when using custom probes and Laser Line Scanners. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit (3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



7 Axis 4.5m
1803-06: PMT@Alpha P, 4.5m, 7 Axis
 Alpha P, 4.5m, 7 Axis. PMT's most accurate measurement system featuring 7 axis for added flexibility when using custom probes and Laser Line Scanners. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit (3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.

PMT ALPHA M-->7 Axis



7 Axis 2.0m
1804-01: PMT@Alpha M, 2.0m, 7 Axis
 Alpha M, 2.0m, 7 Axis. PMT's most favorable measurement system featuring 7 axis for added flexibility when using custom probes and Laser Line Scanners. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit (3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



7 Axis 2.5m
1804-02: PMT@Alpha M, 2.5m, 7 Axis
 Alpha M, 2.5m, 7 Axis. PMT's most favorable measurement system featuring 7 axis for added flexibility when using custom probes and Laser Line Scanners. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit (3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



7 Axis 3.0m
1804-03: PMT@Alpha M, 3.0m, 7 Axis
 Alpha M, 3.0m, 7 Axis. PMT's most favorable measurement system featuring 7 axis for added flexibility when using custom probes and Laser Line Scanners. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit (3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



7 Axis 3.5m
1804-04: PMT@Alpha M, 3.5m, 7 Axis
 Alpha M, 3.5m, 7 Axis. PMT's most favorable measurement system featuring 7 axis for added flexibility when using custom probes and Laser Line Scanners. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit (3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



7 Axis 4.0m
1804-05: PMT@Alpha M, 4.0m, 7 Axis
 Alpha M, 4.0m, 7 Axis. PMT's most favorable measurement system featuring 7 axis for added flexibility when using custom probes and Laser Line Scanners. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit (3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.



7 Axis 4.5m
1804-06: PMT@Alpha M, 4.5m, 7 Axis
 Alpha M, 4.5m, 7 Axis. PMT's most favorable measurement system featuring 7 axis for added flexibility when using custom probes and Laser Line Scanners. Includes : Arm with high-speed WiFi performance, base plate, calibration cone, standard probe kit (3mm and 6mm), rechargeable battery, cables, custom cover, heavy-duty case and 1 year standard warranty.

Software



1700-01: CAM3 Software

A measurement software that specializes in 3D measurement process and graphical reports output . Supports all PMTArms.



1701-01: PolyWorks Inspector Probing

A measurement software that specializes in 3D measurement process and graphical reports output . Supports all PMTArms.



1701-02: PolyWorks Inspector

A measurement software that specializes in 3D measurement process and graphical reports output . Including scanning measurement. Supports all PMTArms.



1701-03: PolyWorks Modeler

Universal 3D metrology software platform for dimensional inspection and reverse engineering. Supports all PMTArms.



1702-01: Rational-DIMS

A measurement software that specializes in 3D measurement process and graphical reports output . Supports all PMTArms.



1703-01: Metrolog EVO PMT-ZH

Metrolog EVO is the easy-to-use, portable measuring device oriented 3D metrology software especially suited for portable inspection devices. Supports all PMT Arms only in Chinese.



1703-02: Metrolog EVO PMT Scan-ZH

Metrolog EVO is the easy-to-use, portable measuring device oriented 3D metrology software especially suited for portable inspection devices. Including scanning measurement. Supports all PMT Arms only in Chinese.



1703-03: Metrolog EVO PMT-AL

Metrolog EVO is the easy-to-use, portable measuring device oriented 3D metrology software especially suited for portable inspection devices. Supports all PMT Arms only in all languages.



1703-04: Metrolog EVO PMT Scan-AL

Metrolog EVO is the easy-to-use, portable measuring device oriented 3D metrology software especially suited for portable inspection devices. Including scanning measurement. Supports all PMT Arms only in all languages.

**1703-05: Metrolog X4 PMT-ZH**

The universal 3D metrology software reference for quality assurance and dimensional analysis powers all existent conventional and portable metrology equipment. Supports all PMT Arms only in Chinese.

**1703-06: Metrolog X4 PMT Scan-ZH**

The universal 3D metrology software reference for quality assurance and dimensional analysis powers all existent conventional and portable metrology equipment. Including scanning measurement. Supports all PMT Arms only in Chinese.

**1703-07: Metrolog X4 PMT-AL**

The universal 3D metrology software reference for quality assurance and dimensional analysis powers all existent conventional and portable metrology equipment. Supports all PMT Arms only in all languages.

**1703-08: Metrolog X4 PMT Scan-AL**

The universal 3D metrology software reference for quality assurance and dimensional analysis powers all existent conventional and portable metrology equipment. Including scanning measurement. Supports all PMT Arms only in all languages.

**1703-09: Metrolog X4 Gear PMT-ZH**

Metrolog inspection software can handle the majority of gears, whatever the measuring equipment or the technology (touch probe, and even potentially with optical probes for certain types of gears). Supports all PMT Arms only in Chinese.

**1703-10: Metrolog X4 Gear PMT Scan-ZH**

Metrolog inspection software can handle the majority of gears, whatever the measuring equipment or the technology (touch probe, and even potentially with optical probes for certain types of gears). Including scanning measurement. Supports all PMT Arms only in Chinese.

**1703-11: Metrolog X4 Gear PMT-AL**

Metrolog inspection software can handle the majority of gears, whatever the measuring equipment or the technology (touch probe, and even potentially with optical probes for certain types of gears). Supports all PMT Arms only in all languages.

**1703-12: Metrolog X4 Gear PMT Scan-AL**

Metrolog inspection software can handle the majority of gears, whatever the measuring equipment or the technology (touch probe, and even potentially with optical probes for certain types of gears). Including scanning measurement. Supports all PMT Arms only in all languages.

**1703-13: Metrolog X4-ZH**

The universal 3D metrology software reference for quality assurance and dimensional analysis powers all existent conventional and portable metrology equipment. Supports all portable arms in Chinese.

Metrolog X4测量软件为传统及便携式测量设备提供了质量保证和数据分析，此款软件为中文版本，适用于所有关节臂。

**1703-14: Metrolog X4 Scan-ZH**

The universal 3D metrology software reference for quality assurance and dimensional analysis powers all existent conventional and portable metrology equipment. Including scanning measurement. Supports all portable arms in Chinese.

**1703-15: Metrolog X4-AL**

The universal 3D metrology software reference for quality assurance and dimensional analysis powers all existent conventional and portable metrology equipment. Supports all portable arms in all languages.

**1703-16: Metrolog X4 Scan-AL**

The universal 3D metrology software reference for quality assurance and dimensional analysis powers all existent conventional and portable metrology equipment. Including scanning measurement. Supports all portable arms in all languages.

**1703-17: Metrolog X4 Gear-ZH**

Metrolog inspection software can handle the majority of gears, whatever the measuring equipment or the technology (touch probe, and even potentially with optical probes for certain types of gears). Supports all portable arms in Chinese.

**1703-18: Metrolog X4 Gear Scan-ZH**

Metrolog inspection software can handle the majority of gears, whatever the measuring equipment or the technology (touch probe, and even potentially with optical probes for certain types of gears). Including scanning measurement. Supports all portable arms in Chinese.

**1703-19: Metrolog X4 Gear-AL**

Metrolog inspection software can handle the majority of gears, whatever the measuring equipment or the technology (touch probe, and even potentially with optical probes for certain types of gears). Supports all portable arms in all languages.

**1703-20: Metrolog X4 Gear Scan-AL**

Metrolog inspection software can handle the majority of gears, whatever the measuring equipment or the technology (touch probe, and even potentially with optical probes for certain types of gears). Including scanning measurement. Supports all portable arms only in all languages.

Computers

**1600: DELL Laptop**

Standard laptop computer for use with PMTArm system, CPU I7-9750H/32GB(16GB*2)/512GB/P620 4GB, 15.6"

**1601: DELL Laptop**

Standard laptop computer for use with PMTArm system, CPU I7-10510U/16GB(8GB*2)/512GB/P520 2GB, 15.6"



1602: Demo Laptop (HP/DELL)

Demo laptop computer for use with PMTArm system, CPU I7/16GB(8GB*2)/512GB, 15.6"

Accessories



1500: Folding Adjustable Tripod

Built-in gradienter, minimum height 730mm, maximum height 1200mm; Max. load weight: 300kg; Operating temp range: -15°C-55°C, used for all PMT arms, portable and stable, including(1500-01,1500-02).



1500-01: Carry Case

Case with small wheels which is suitable for folding tripod to carry easily.



1500-02: Soft Carry Bag

Kind of bag with small wheels which is suitable for folding tripod to carry easily.



1501: Circular Disc Integrated Magnetic Mount

Standard thread ring; Diameter 150mm, height 76mm, weight 4.8kg; Firmly attached to the metal plate or curved surface with no looseness when the arm is installed.



1502: Calibration Cone

Probe Calibration Cone with Standard Base for ball probe calibration and single point accuracy tests.



1503: Point Probe

Stainless steel point probe applied to PMT ALPHA, should be used with calibration sphere.



1503-02: 2mm Ball Probe

2 mm ruby ball probe applied to PMT ALPHA.



1503-03: 3mm Ball Probe

3 mm zircon ball probe applied to PMT ALPHA.



1503-05: 5mm Ball Probe

5 mm zircon ball probe applied to PMT ALPHA.



1503-06: 6mm Ball Probe

6 mm zircon ball probe applied to PMT ALPHA.



1503-10: 10mm Ball Probe
10mm zircon ball probe applied to PMT ALPHA.



1504: Stand Extension
Used to increase the height for tripod, magnetic mount or surface plate mount(suitable for 200mm、300mm、500mm or other customized one).



1505-01: Power Adapter
Power adapter for joint arms with voltage 24V and current 2.71A, which is applied to PMTArm.



1505-02: Power Adapter
Power adapter for joint arms with voltage 12V and current 2.5A, which is applied to FARO Platinum, Fusion, Prime Arm.



1505-03: Power Adapter
Power adapter for joint arms with voltage 18V and current 3.62A, which is applied to FARO EDGE.



1505-04: Power Adapter
Power adapter for joint arms with voltage 24V and current 2.71A, which is applied to FARO Quantum.



1506-01: USB Cable
3m standard USB cable used for all PMTArm.



1506-02: USB Cable
10m standard USB cable used for all PMTArm.



1507: Lithium Battery
Voltage 14.4V, capacity 3.45Ah, applicable to PMTArm.



1508: Battery Charger
Applicable to PMTArm. Batteries not included.



1509: Magnetic Sphere
A single sphere with an adjustable magnetic base which is used for the Leapfrog command.This will increase the measuring volume of the Arm. Includes: 3 spheres.



1509-01: Calibration Sphere
A single sphere with an adjustable magnetic base which is used for point probe calibration and leapfrog command.



1510: Magnetic Cone

A single cone with an adjustable magnetic base which is used for the Leapfrog command. This will increase the measuring volume of the Arm. Includes: 3 spheres.



1511: Probe Extension Kit

Probe Extension Kit includes: two 3" straight; 4" straight; 60 degree angle; 90 degree angle; 3mm extended ball probe; 6mm extended ball probe; 12" wrench and probe adapter.



1511-01: 3" Straight Probe Extension

3" straight threaded insert which increases the distance from the PMT Arm handle to the probe end. Must used with 1511-07 adapter and a M6 threaded probe.



1511-02: 4" Straight Probe Extension

4" straight threaded insert which increases the distance from the PMT Arm handle to the probe end. Must used with 1511-07 adapter and a M6 threaded probe.



1511-03: 60 Degree Probe Adapter

60 degree probe adapter which increases the distance from the PMT Arm handle to the probe end. Must used with 1511-07 adapter and a M6 threaded probe.



1511-04: 90 Degree Probe Adapter

90 degree probe adapter which increases the distance from the PMT Arm handle to the probe end. Must used with 1511-07 adapter and a M6 threaded probe.



1511-05: 3mm Extended Ball Probe

3mm extended ball probe with M6 threaded. Requires 1511-07 Probe Adapter for use.



1511-06: 6mm Extended Ball Probe

6mm extended ball probe with M6 threaded. Requires 1511-07 Probe Adapter for use.



1511-07: Probe Adapter

Probe adapter used with extended M6 threaded ball probes.



1512: Granite Rolling Cart

Granite Rolling Cart. Complete mobile measurement workstation. Granite table, provides a solid work surface for all PMT Arms. Gross Weight: 320kg; Size: 145CM*65CM*80CM.



1513: Dust Cover

Protective cover for PMT Arms.



1514: Vacuum Mount
 Vacuum mount designed for every size and model PMTArms. Quickly, easily and rigidly mounts the PMTArms to granite surfaces without a degradation in accuracy. Includes mount, hand pump and case.



1515: Electric Vacuum Clamping Plate
 Battery powered vacuum mount for the PMTArms. Specially designed to quickly, easily and rigidly mount to granite surfaces constantly without a degradation in accuracy.



1516: Standard Demo Part
 Standard Demo Part. The demonstration part used in all PMT demo, training classes and software tutorials.



1517: Standard Thread Ring
 Standard Thread Ring used to fix or install PMTArms.

Cases



1300: Heavy Duty Case
 Heavy duty shipping case for all 1.5m PMTArms.



1301: Heavy Duty Case
 Heavy duty shipping case for all 2m PMTArms.



1302: Heavy Duty Case
 Heavy duty shipping case for all 2.5m PMTArms.



1303: Heavy Duty Case
 Heavy duty shipping case for all 3m PMTArms.



1304: Heavy Duty Case
 Heavy duty shipping case for all 3.5m PMTArms.



1305: Heavy Duty Case
 Heavy duty shipping case for all 4m PMTArms.



1306: Heavy Duty Case
 Heavy duty shipping case for all 4.5m PMTArms.



1307: Portable Carry Case
 Portable carry case for all sizes from 1.5m to 4.5m PMTArms.

Warranty, Calibration and Maintenance

**1200: Standard Arm Warranty-1YR**

One year standard warranty. Warranty includes repair for non-human damages, calibration, parts, labor and all shipping charges.

**1200-01: Standard Arm Warranty-1YR Remote**

One year remote standard warranty. Warranty includes necessary replaceable parts for non-human damages and calculated files. All these services are done by local authorized distributor.

**1201: Standard Arm Warranty-3YRS**

Three years standard warranty. Warranty includes repair for non-human damages, calibration, parts, labor and all shipping charges.

**1201-01: Standard Arm Warranty-3YRS Remote**

Three years remote standard warranty. Warranty includes necessary replaceable parts for non-human damages and calculated files. All these services are done by local authorized distributor.

**1205-01: Arm Remote Calibration**

Remote Arm Calibration for PMT and other brand arms. Calculate and send data after collecting the points. We provide calibration file based on calculation with PMT Calibration Certificate.

**1206: Main Board**

The main board, adjust the internal circuit after maintenance, recalibrate the equipment accuracy and upgrade the internal firmware system.

**1207: Communication Board**

The communication board, adjust the internal circuit after maintenance, recalibrate the equipment accuracy and upgrade the internal firmware system.

**1208: Power Board**

The power board, adjust the internal circuit after maintenance.

**1209: Button Board**

The button board, adjust the internal circuit after maintenance.

**1210: USB Interface**

The USB interface, adjust the internal circuit after maintenance.

**1211: 1/2s Joint**

The 1/2s joint, adjust the internal circuit after maintenance, recalibrate the equipment accuracy and upgrade the internal firmware system.



1212: 3/4s Joint

The 3/4s joint, adjust the internal circuit after maintenance, recalibrate the equipment accuracy and upgrade the internal firmware system.



1213: 5/6s Joint

The 5/6s joint, adjust the internal circuit after maintenance, recalibrate the equipment accuracy and upgrade the internal firmware system.